

This amendment follows Examiner's amendment of 2/6/07 which amended on page 2, line 3 change "3n" in the expression "Figs. 3n-5b" to --- 4a --- to read "Figs. 4a-5b" and on page 2, line 13 change "8n" to --- 8I ---.

The above amendment corrects the Examiner's amendment of 2/6/07 and insert back the original expression "Figs. 3n-5b", which is correct as originally filed.

A new substuted set of all the figures which also corrects Fig. ab to read Fig. 4b are attached as follows:

- Figs. 1a-3m. Representative front views of frames for gel diaphragm pure volume expansions.
- Figs. 3n-5b and 6a-6n Representative sectional view of inflatable restraint gel diaphragm assemblies.
- Figs. 5c-5m. Representative sectional view of various gel diaphragms.
- Figs. 5n-5t. Representative sectional view of various gel diaphragms with peripheral retainer.
- Figs. 5u-5w. Representative sectional view of gel diaphragms with peripheral retainer and expansion control elements.
- Figs. 7a-7d. Representation sectional view of expanded gel diaphragms.
- Figs. 7e-7h. Representation views of pure gel volume expansion showing various restriction conformations.
- Figs. 2a-2e. Representation front views of flange assemblies of expansion frames.
- Figs. 8a-8f. Representation sectional view of gel diaphragms showing positions of various expansion films, sheets, and fabric.
- Figs. 8g-81. Representation front views of various films, sheets, thread and fabric patterns, scoring, and cuts.
- Figs. 9a-9i. Representation of various gel diaphragm volume expansion configurations.
- Fig. 10a. Conventional deployment timing profile of passenger side bag in milliseconds.
- Fig. 10b. Deployment timing profile of passenger side volume expansion of gel in milliseconds.
- Fig. 10c. Deployment timing profile of driver side volume expansion of gel diaphragm in milliseconds.
- Fig. 10d. Deployment profile of driver side volume expansion of gel diaphragm showing enveloping cushion surround conformation on dummy.
- Fig. 10e. Deployment profile of passenger side volume expansion of gel diaphragm showing enveloping cushion surround conformation on dummy.
- Fig. 11. Typical conventional air bag deployment pressure plot showing positive pressure A, cover break

pressure point B, time from negative pressure to positive pressure after cover tearseam break D, maximum air bag pressure E.

Fig. 12. Typical invention gel diaphragm deployment pressure plot showing positive pressure A, cover break pressure point B, time to maximum positive pressure after cover tearseam break E.

Figs. 13-15. Invention gel diaphragms deployment pressure plots showing various selected maximum positive pressure absent tear covers.

Figs. 16, 17a, 17b, 17c, 17d, and 18-23. Illustrates composites of the invention.

This paper is being sent via Express Mail (with the payment of the issue fee and a separate paper amending the specification) as indicated in paper 20070204, but was not sent earlier submitted because I was out with the flu.

Should Examiner have any questions regarding this response, Applicant can be

reached at (650) 827-1388.

Respectfully submitte

30th Y. Chen

Agent for Applicant

Reg. No. 29,782

650 827-1388 Fax: 1389

Applied Elastomerics, Inc. 163 West Harris Avenue South San francisco, CA 94080 3/12/07 10/675509

P(000 3/29/07

The related applications is amended to update the applications data in accordance with MPEP 201.11 part III. The other amendment of the specification is for correction of spelling.

The amendment are not directed to the allowed claims and are not for reason of prior art. The amendments are supported by the specification as originally filed, are directed to formal matters, and do not require any search.

Should Examiner have any questions regarding this response, Applicant can be reached at (650) 827-1388.

Respectfully submitted,

John Y. Chen

Agent for Applicant

Reg. No. 29,782

650 827-1388 Fax: 1389

Applied Elastomerics, Inc. 163 West Harris Avenue South San francisco, CA 94080 3/12/07